





	EE0046	e9*94/20*94/20*2121*00
	EE1046	e9*94/20*94/20*2191*00
CITROËN XANTIA		Nº de homologación Official approval number Prüfung Nr. Nº d'homologation

EE0046
e9*94/20*94/20*2121*00



EE1046
e9*94/20*94/20*2191*00



1.500 kg.	85 kg.	8,11 kN	Par de apriete para los tornillos Tightening torque for bolts Schrauben Drehmoment Couple de serrage pour vis														
1.500 kg.	85 kg.	8,27 kN															
M.M.R. 	S 	D 															
Enganche homologado según Directiva 94/20 CE. Hitch officially approved in accordance with Directive 94/20 CE. Geprüfte Kupplung gemäß Kennzeichen 94/20 CE. Crochet homologué selon la Directive 94/20 CE.			<table><tr><td>mm</td><td>6</td><td>8</td><td>10</td><td>12</td><td>14</td><td>16</td></tr><tr><td>Nm</td><td>10</td><td>25</td><td>55</td><td>85</td><td>135</td><td>200</td></tr></table>	mm	6	8	10	12	14	16	Nm	10	25	55	85	135	200
mm	6	8	10	12	14	16											
Nm	10	25	55	85	135	200											

ELEMENTOS DE UNIÓN / CONNECTION COMPONENTS DAZUGEHÖRENDEN TEILEN / ÉLÉMENTS DE RACCORD			
BOLA / BALL / KUGEL / BOULE		VEHÍCULO / VEHICLE FAHRZEUG / VÉHICULE	
			
a 	2 x M12x65 DIN 931	8.8	
b 	2 x M12 DIN 985	8	
			
a 	4 x M12x25 DIN 933	8.8	
b 	4 x M12 DIN 125	-	

Este documento debe ser presentado en la I.T.V. junto con el certificado de montaje.


HNOS.SÁNCHEZ-LAFUENTE,S.A. no asume ningún tipo de responsabilidad por daños causados por usos inadecuados.



EE0046





EE1046





CITROËN XANTIA



1




2



3
















5

	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm

6



	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm



 enganches y remolques		Dibujo: CORTE PARAGOLPES CITROEN XANTIA	
Escala: 1:1	UNIDADES EN mm	EE0046-EE1046	Rev. P1