





TOYOTA RAV4



M.M.R. 	S 	D 
2.205 kg.	80 kg.	10,90 kN



Enganche homologado según R55 / Directiva 94/20 CE.
Hitch officially approved in accordance with R55 / Directive 94/20 CE.
Geprüfte Kupplung gemäß Kennzeichen R55 / 94/20 CE.
Crochet homologué selon la Directive R55 / 94/20 CE.

ELEMENTOS DE UNIÓN / CONNECTION COMPONENTS DAZUGEHÖRENDE TEILEN / ÉLÉMENTS DE RACCORD		VEHÍCULO / VEHICLE FAHRZEUG / VÉHICULE	
BOLA / BALL / KUGEL / BOULE			
a	2 x M12x65 DIN 931	c	14 x M8x30 DIN 933
b	2 x M12 DIN 985	d	10 x M10x35 DIN 933
		e	11 x M12x40 DIN 961
		f	8 x M8 DIN 6923
		g	10 x M10 DIN 985
a	4 x M12x25 DIN 933	h	6 x M8 DIN 6798
b	4 x M12 DIN 127	i	11 x M12 DIN 6798
		j	22 x M8 DIN 9021
		k	10 x M10 DIN 9021
		l	11 x M12 DIN 9021

Par de apriete para los tornillos/Tightening torque for bolts/Schrauben Drehmoment/Couple de serrage pour vis		Und./Nm		M6		M8		M10		M12		M14		M16	
caliente		1		1,25		1,5		1,25		1,75		1,5		1,5	
fresco		1		1,25		1,5		1,25		1,75		1,5		1,5	
8,8		11,3		27,3		54,0		57,0		93,0		148,0		159,0	
10,9		16,5		40,1		79,0		83,0		137,0		218,0		234,0	
12,9		19,3		46,9		93,0		98,0		160,0		255,0		274,0	

Este documento debe ser presentado en la I.T.V. junto con el certificado de montaje.
HNOS.SANCHEZ-LAFUENTE,S.A. no asume ningún tipo de responsabilidad por
daños causados por usos inadecuados.

Made by LAFUENTE
(SPAIN)
TEL: (+34) 952 625 840
www.lafuente.eu

E9 55R -01 2186

TIPO EEO466 D 10,90 kN
CLASE A-50X S 80 kg

Made by LAFUENTE
(SPAIN)
TEL: (+34) 952 625 840
www.lafuente.eu

E9 55R -01 2187

TIPO EE1466 D 10,90 kN
CLASE A-50X S 80 kg




TOYOTA RAV 4



EE0466







EE1466




Instrucciones de montaje - Installation instructions - Notice de montage - Montage- og driftsvejledning


1




2







3








4









5




6






7





8




2




9




10













9



10



	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm



	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm