

PEUGEOT 208

M.M.R. 	S 	D
1.459 kg.	60 kg.	7,63 kN



ECE R55
homologación

ELEMENTOS DE UNIÓN / CONNECTION COMPONENTS DAZUGEHÖRENDEN TEILEN / ÉLÉMENTS DE RACCORD

BOLA / BALL / KUGEL / BOULE

VEHÍCULO / VEHICLE FAHRZEUG / VÉHICULE

 a 4 x M12x25 DIN 933 8.8 b 4 x M12 DIN 125 -	c 2 x M10x40 DIN 933 8.8
	d 10x M10x35 DIN 933 8.8
	e 4 x M10 DIN 985 8
	f 4 x M10 P=1,50 A=44mm 8
	g 10x M10 DIN 9021 -
	h 2 x M10 DIN 125 -
	i 8 x M10 DIN 6798 -
	* 4 x M8x30 DIN 6921 10.9
	4 x M8 DIN 9021 -

Se reutilizan del refuerzo del paragolpes.
They are reused from the bumper reinforcement.



Par de apriete para los tornillos/Tightening torque for bolts/Schrauben Drehmoment/Couple de serrage pour vis

Und.Nm	M6	M8	M10		M12			M14		M16
paso	1	1,25	1,5	1,25	1,75	1,5	1,25	1,75	1,5	2
calidad	8.8	11,3	27,3	54,0	57,0	93,0	97,0	101,0	148,0	159,0
	10.9	16,5	40,1	79,0	83,0	137,0	143,0	149,0	218,0	234,0
	12.9	19,3	46,9	93,0	98,0	160,0	167,0	174,0	255,0	274,0
										320,0
										395,0

Este documento debe ser presentado en la I.T.V. junto con el certificado de montaje.

HERMANOS SÁNCHEZ-LAFUENTE, S.A. no asume ningún tipo de
responsabilidad por daños causados por usos inadecuados.

Nº Rev: 00 Aprobado: 12-02-2021



E9*55R01/08*2467*00

Comprobar en el Certificado de Conformidad (COC) del vehículo las capacidades máximas de arrastre y carga vertical.


See the Certificate Of Conformity (COC) of your vehicle or contact your dealer to verify the max. trailer weight of your car!



PEUGEOT 208






EE1561








Instrucciones de montaje - Installation instructions - Notice de montage - Montage- og driftsvejledning




1




2




3




4




5




6




7









8



9





	M6	M8	M10	M12	M14	M16
8.8	10,4Nm	25,0Nm	51,0Nm	87,0Nm	140,0Nm	215,0Nm
10.9	15,5Nm	37,0Nm	75,0Nm	130,0Nm	205,0Nm	310,0Nm
12.9	18,0Nm	43,0Nm	87,0Nm	150,0Nm	240,0Nm	370,0Nm